

THE BIOTOTE

BIODIESEL PROCESSING SOLUTION



The BioTote biodiesel processor is a cost effective and easily expandable biodiesel processing solution. This is a very easy system to operate and maintain. Only 6 items need to be plugged in to operate the system. Each item is phase 1 electrical drawing less than 20 amps. Install it yourself, or we can install it for you for an additional \$1500 plus travel expenses. If we do the installation, we will include a full day of training for your staff on biodiesel fundamentals and BioTote operation. All BioTote systems include a complete mini biodiesel laboratory for titration and mini batches.

PACIFIC
Natural
An Alternative
Energy Corporation

BIOTOTE BT-200 BIODIESEL SYSTEM



- * 200 Gallons Per Day Capacity
- * 1.5 hp Gear Pump
- * Bag Filter and 1,500 Watt Inline Heater
- * Heat/Mix Head Unit
2-1,500 Watt Heater, 1-1/2 hp Mixer
- * Plumbing System for 2 Totes
- * Air Powered Mixer/Pump for Methanol

\$10,995

- Spider Box Electrical Panel – 1 Phase
- Electrical Draw – 115 Volt, 80 Amp Service



This is an affordable biodiesel production solution that can help you finally gain energy independence. With the BioTote, you can make ATSM grade biodiesel to power your diesel vehicles and generators. Take control of your fuel costs, do not let the gas station decide how much it costs to fuel up any longer.

www.stopxon.com

BIOTOTE BT-400 BIODIESEL SYSTEM



- * 400 Gallons Per Day Capacity
 - * 2 hp Gear Pump
 - * 2 Filter Bags and 3,000 Watt Inline Heater
 - * Heat/Mix Head Unit
4-3,000 Watt Heater, 2-3/4 hp Mixer
 - * Plumbing System for 4 Totes
 - * Air Powered Mixer/Pump for Methanol
- \$15,995**



- Spider Box Electrical Panel – 1 or 3 Phase
- Electrical Draw 115/240, 160/80 Amp Service
- Totes Included



This is an affordable biodiesel production solution that can help you finally gain energy independence. With the BioTote, you can make ATSM grade biodiesel to power your diesel vehicles and generators. Take control of your fuel costs, do not let the gas station decide how much it costs to fuel up any longer.

www.stopxon.com

BIOTOTE BT-800 BIODIESEL SYSTEM



- * 800 Gallons Per Day Capacity
- * 2 hp Gear Pump
- * 2 Filter Bags and 3,000 Watt Inline Heater
- * Heat/Mix Head Unit
4-3,000 Watt Heater, 2-3/4 hp Mixer
- * Plumbing System for 6 to 8 Totes
- * Air Powered Mixer for Methanol Preparation

\$26,995



- Fuse Box Electrical Panel – 1 or 3 Phase
- Electrical Draw 115/240, 160/80 Amp
- Totes Included
- 500 Gallon Methanol Storage Included
- Ships Easily in a Custom 20' Cargo Container
- 2 days of Onsite Training Included
- Turnkey system, just plug it in!

www.stopxon.com

THE BIOTOTE – SPECIFICATION TABLE

ITEM		BT-200	BT-400	BT-800
A	Pump	1.5-hp gear	2-hp gear	2-hp gear
A	Filter with Heater Unit	<u>1-Filter</u> 1-1,500 watt	<u>2-Filter</u> 1-3,000 watt	<u>2-Filter</u> 1-3,000 watt
A	Heat / Mix Head Unit	1-1/2 hp Mixer 2-1,500 watt Heater 1 Phase	2-3/4 hp Mixer 4-3,000 watt Heater 1 or 3 Phase	2-3/4 hp Mixer 4-3,000 watt Heater 1 or 3 Phase
A	Plumbing System for # of Totes	2	4	6-8
A	Methanol Preparation	55 gallon Drum Adaptor System Air Powered	55 gallon Drum Adaptor System Air Powered	150 gallon Poly Tank System Air Powered
B	Electrical Panel	<u>Spider Box</u> 1 Phase	<u>Spider Box</u> 1 or 3 Phase	<u>Fuse Box</u> 1 or 3 Phase
B	Electrical Draw	<u>115 volt</u> 80 amp service	<u>115/240 volt</u> 160/80 amp service	<u>115/240 volt</u> 160/80 amp service
B	Totes Included	No	Yes	Yes
	Methanol Storage	No	No	<u>Yes</u> 500 gallons
	Cargo Container	No	No	Yes
	Price	\$10,995	\$15,995	\$26,995

